





## Bobsleigh Keyfob UNIQUE



Description	Proximity Keyfob des	Proximity Keyfob design to suit to most 125 kHz proximity systems.				
IC type:	UNIQUE 64 bits RF/64 ASK Manchester					
Physical:	Thickness:	6.80 mm	± 0.50 mm			
	Width:	47.40 mm	± 0.50 mm			
	Length:	28.60 mm	± 0.50 mm			
	Weight:	TBD g	± 0.50 g			
	Color:	Transparent Blue				
Electrical:	Operating Frequency:	125 kHz	± 6 kHz			
			'	'		
Material:	Polycarbonate.					
Thermal:	-30°C to 80 °C					
	00 0 10 00 0					
Immersion:	Water IP 67					
minier sion.	vvalci if U/					
Mechanical:	Draw took 40 times 40 avales (4 0m)					
Wieciiailicai.	Drop test 10 times 10 cycles (1.8m)					
<b>D</b>	The Keyfel is designed	14	l <i>6</i>			
Resistance:	The Keyfob is designed	to resist common str	ess known from acces	s control and time and		
	attendance systems.					
Specials:	The Keyfoh is delivered	The Keyfob is delivered on boxes of 100 pieces				
Specials.	The region is delivered on boxes of 100 pieces					
Part number:	601911					
rait iluiliber:	וויפויסס					

® SOKYMAT reserves the right to change any information or data in this document without prior notice. The distribution and the update of this document is not controlled. SOKYMAT declines all responsibility for the use of products with any other specifications but the ones mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification.

CLF 3.3.2.16 - 601911 - CL - GRA	Version : 1	Validation : 09.08.2002	By : DCA
Internal Use	Accomplishment : Final	Status : Released	DefKey : 8835